

# SOLARIA®




**Solaria 270W/275W/280W  
Module Specifications**



## ELECTRICAL SPECIFICATIONS\*


ELECTRICAL PARAMETER	Solaria 280			Solaria 275			Solaria 270		
	Peak Power, Pmax (Watts)	280	275	270					
Open Circuit Voltage, Voc (V)	44.60	44.40	44.20						
Short Circuit Current, Isc (A)	8.27	8.15	8.04						
Voltage at Pmax (V)	35.90	35.60	35.10						
Current at Pmax (A)	7.80	7.73	7.69						
Max Series Fuse Rating (A)	15	15	15						
Max System Voltage (V)	US600/IEC1000	US600/IEC1000	US600/IEC1000						




**MODEL: SOLARIA 270**

Peak Power	(Pmax)	270	W
Voltage at Pmax	(Vmp)	35.10	V
Current at Pmax	(Imp)	7.69	A
Open Circuit Voltage	(Voc)	44.20	V
Short Circuit Current	(Isc)	8.04	A
Maximum Series Fuse		15	A


All ratings at standard test conditions: 1000 W/m<sup>2</sup>, AM 1.5 spectrum, 25°C  
Field connections, use min. 12 AWG copper wires insulated for 90°C min.



~ WARNING ~  
ELECTRICAL HAZARD  
Read and comply with  
product installation manual.



System Rear  
Refer to Installation Manual



--- BARCODE ---  
Serial number with traceability for date and place of  
manufacture

UL Fire Rating Class C - IEC Safety Class II

Maximum System Voltage US-600V, IEC-1000V

Made in the USA      www.solaria.com      PSC3003-01

### ELECTRICAL

Cells	Monocrystalline
Bypass Diodes	3
Ratings	15 Amps each
Max Vrrm	45 Volts
Type	Diotec SB1540


### TEMPERATURE COEFFICIENTS

Isc	3.62	mA/°C
Imp	-2.31	mA/°C
Voc	-159.12	mV/°C
Vmp	-161.46	mV/°C
Pmax	-1.323	W/°C

- Specified power rating is +3/- 2% of indicated value of Pmax under STC\*
- All other electrical specifications are + or - 10% of indicated values under STC\*
- \*STC : Irradiance 1000 W/m<sup>2</sup>, AM 1.5 spectrum, Cell Temperature 25° C
- Module is rated for Application Class A

## MECHANICAL DIMENSIONS:

- Frameless Module Weight: 74 lbs
- Nominal dimensions in millimeters and [inches] – Not Drawn to Scale





### **Solaria USA**

6200 Paseo Padre Pkwy  
Fremont, CA 94555  
United States of America

T: +1-510-270-2500  
F: +1-510-793-8388

### **Solaria Germany**

Friedrichstr. 191/1. OG  
D-10117 Berlin, Germany

T: +49 30 20659 151  
F: +49 30 20659 200

### **Solaria India**

202 SSH Pride, Plot 273  
Road No. 78  
Jubilee Hills, Hyderabad  
AP 500096, India

T: +91 40 2355-4787  
F: +91 40 2355-4883

[www.solaria.com](http://www.solaria.com)